

Rapid Upgrades With Pg_Upgrade

BRUCE MOMJIAN



February, 2013

Pg_Upgrade allows migration between major releases of Postgres without a data dump/reload. This presentation explains how pg_upgrade works.

Creative Commons Attribution License

<http://momjian.us/presentations>

Traditional Postgres Upgrade Options

- ▶ pg_dump (logical dump)/restore
- ▶ Slony

Why Upgrading Postgres Is Complex

- ▶ New features often require system table changes
- ▶ However, the internal data format rarely changes


Why Pg_Upgrade

- ▶ Very fast upgrades
- ▶ Optionally no additional disk space


pg_upgrade installs new system tables while using data files from the previous Postgres version.

How It Works: Initial Setup

Old Cluster




New Cluster




Decouple New Clog Via Freezing


Old Cluster




New Cluster




Transfer Clog and XID




Get Schema Dump



Restore Schema In New Cluster




Copy User Heap/Index Files




Complete

Old Cluster



New Cluster



How It Works: In Detail

- ▶ Check for cluster compatibility
 - ▶ locale
 - ▶ encoding
- ▶ Use `pg_dumpall` to dump old cluster schema (no data)
- ▶ Freeze all new cluster rows (remove reference to clog entries)
- ▶ New cluster uses old xid counter value (see freeze above)
 - ▶ Set system table frozen xids to match the current xid
- ▶ Create new users/databases
- ▶ Collect cluster information
- ▶ Install support functions that call internal backend functions
- ▶ Create schema in new cluster
- ▶ Copy or link files from old cluster to new cluster
- ▶ Warn about any remaining issues, like REINDEX requirements

Sample Run: Performing Consistency Checks

Performing Consistency Checks

Checking current, bin, and data directories	ok
Checking cluster versions	ok
Checking database user is a superuser	ok
Checking for prepared transactions	ok
Checking for reg* system OID user data types	ok
Checking for invalid indexes from concurrent index builds	ok
Checking for contrib/isn with bigint-passing mismatch	ok
Creating catalog dump	ok
Checking for presence of required libraries	ok
Checking database user is a superuser	ok
Checking for prepared transactions	ok

If `pg_upgrade` fails after this point, you must re-initdb the new cluster before continuing.

Sample Run: Performing Migration

Performing Upgrade

```
Analyzing all rows in the new cluster          ok
Freezing all rows on the new cluster          ok
Deleting files from new pg_clog              ok
Copying old pg_clog to new server            ok
Setting next transaction ID for new cluster   ok
Resetting WAL archives                       ok
Setting frozenxid counters in new cluster     ok
Creating databases in the new cluster         ok
Adding support functions to new cluster       ok
Restoring database schema to new cluster      ok
Removing support functions from new cluster   ok
Adding ".old" suffix to old global/pg_control ok
```

If you want to start the old cluster, you will need to remove the ".old" suffix from /u/pgsql.old/data/global/pg_control.old. Because "link" mode was used, the old cluster cannot be safely started once the new cluster has been started.

Linking user relation files

ok

Setting next OID for new cluster

ok

Creating script to analyze new cluster

ok

Sample Run: Completion

Upgrade Complete

Optimizer statistics are not transferred by `pg_upgrade` so,
once you start the new server, consider running:

```
analyze_new_cluster.sh
```

Running this script will delete the old cluster's data files:

```
delete_old_cluster.sh
```

Possible Data Format Changes

Change	Conversion Method
clog	none
heap page header, including bitmask	convert to new page format on read
tuple header, including bitmask	convert to new page format on read
data value format	create old data type in new cluster
index page format	reindex, or recreate index methods
TOAST page format	convert to new page format on read

Speed Comparison

Migration Method	Minutes
dump/restore	300.0
dump with parallel restore	180.0
pg_upgrade in copy mode	44.0
pg_upgrade in link mode	0.7

Database size: 150GB, 850 tables

The last duration is 44 *seconds*.

*Timings courtesy of
Stefan Kaltenbrunner
(mastermind on IRC)*

Release History

- ▶ 9.0 focused on stability
- ▶ 9.1 focused on performance for databases with many relations
- ▶ 9.2 focused on improved debugging and reliability for non-standard configurations
- ▶ 9.3 will focus on performance via parallelism and reduced fsync activity

Conclusion



<http://momjian.us/presentations>