

LESSONS LEARNED MIGRATING AN EXISTING PRODUCT TO A MULTI TENANT CLOUD NATIVE ENVIRONMENT



Carlos Sanchez

csanchez.org / [@csanchez](https://twitter.com/csanchez) / [@csanchez@fosstodon.org](mailto:csanchez@fosstodon.org)

Principal Scientist

Adobe Experience Manager Cloud Service

Long time OSS contributor at Jenkins, Apache Maven,
Puppet,...

Author of Jenkins Kubernetes plugin

ADOBE EXPERIENCE MANAGER

An existing distributed Java OSGi application
Using OSS components from Apache Software
Foundation

A huge market of extension developers

AEM ON KUBERNETES

Running on **Azure**

45+ clusters and growing

Multiple regions: US, Europe, Australia, Singapore,
Japan, India, more coming

Adobe has a **dedicated team** managing clusters for
multiple products

17k+ environments

100k+ Deployments

6k+ namespaces

AEM ENVIRONMENTS

- Customers can have multiple AEM environments that they can self-serve
- Each customer: 3+ Kubernetes namespaces
- Each environment is a micro-monolith TM

Using namespaces to provide a scope

- network isolation
- quotas
- permissions

SERVICES

Multiple teams building services

Different requirements, different languages

You build it you run it

Using APIs or Kubernetes operator patterns

ENVIRONMENTS

Using init containers and (many) sidecars to apply division of concerns



SIDECARS



- Service warmup
- Storage initialization
- httpd fronting the Java app
- Exporting metrics
- fluent-bit to send logs
- Java threaddump collection
- Envoy proxying
- Autoupdater

SERVICE WARMUP

Ensure that the service is ready to serve traffic

Probes the most requested paths for lazy caching

Without requiring expensive starts

FLUENT-BIT TO SEND LOGS

Using a shared volume to send logs to a central location

Configured independently from the application

ENVOY PROXYING

Using Envoy for traffic tunneling and routing

Enables dedicated ips per tenant and VPN connectivity

AUTOUPDATER

Runs on startup and updates any configuration needed

Allows patching the whole cluster fleet live

OPERATORS

AEM ENVIRONMENT OPERATOR

Overarching operator that manages lifecycle of environments

AEM ENVIRONMENT OPERATOR

An operator to rule them all

Launches jobs pre/post environment creation

Reconciles with other internal operators

FLUXCD HELM OPERATOR

<https://fluxcd.io/>

FLUXCD HELM OPERATOR

Allows managing Helm charts using declarative state
vs imperative commands

Integrated with our operators to manage the lifecycle
of the Helm releases

and to **gather state** from the Helm operations

ARGOCD



ARGOCD

<https://argoproj.github.io>

Applies **GitOps** state into the cluster

Widely used at Adobe

Includes workflows, events, ...

ARGO ROLLOUTS

<https://argoproj.github.io/rollouts/>

ARGO ROLLOUTS

Provides advanced deployment strategies

Canary, Blue/Green, A/B testing, etc.

Automated rollbacks

SCALING AND RESOURCE OPTIMIZATION

Each customer environment (17k+) is a micro-monolith™

Multiple teams building services

Need ways to scale that are orthogonal to the dev teams

Kubernetes workloads can define resource requests
and limits:

Requests:

how many resources are guaranteed

Limits:

how many resources can be consumed

And are applied to

CPU

Memory

Ephemeral storage

Memory: limit enforced, results in Kernel OOM killed

Ephemeral storage: limit enforced, results in pod
eviction

CPU REQUESTS IN KUBERNETES

It is used for scheduling and then a relative weight

It is not the number of CPUs that can be used

1 CPU means it can consume one CPU cycle per CPU period

Two containers with 0.1 cpu requests each can use 50% of the CPU time of the node


CPU LIMITS IN KUBERNETES

This translates to cgroups quota and period.

Period is by default 100ms

The limit is the number of CPU cycles that can be used
in that period

After they are used the container is throttled




CPU LIMITS IN KUBERNETES

This is challenging for Java and multiple threads

For **1000m** in Kubernetes and 4 threads

you can consume all the CPU time in 25ms and be throttled for 75 ms



ARM ARCHITECTURE

15-25% cost savings for the same performance

Easy switch for containerized Java

JAVA AND KUBERNETES

QUIZZ

Assume:

- Java 11+ and latest releases
- 4GB memory available
- 2+ CPUs available

WHAT IS THE DEFAULT JVM HEAP SIZE?

1. 75% of container memory
2. 75% of host memory
3. 25% of container memory
4. 25% of host memory
5. 127MB

WHAT IS THE DEFAULT JVM HEAP SIZE?

1. **75% of container memory** (< 256 MB)
2. 75% of host memory
3. **25% of container memory** (> 512 MB)
4. 25% of host memory
5. **127MB** (256 MB to 512 MB)

JDKs ≥ 8 and ≥ 11 will detect the available memory in the container, not the host

Using the container memory limits, so there is no guarantee that physical memory is available

Do not trust JVM ergonomics

Configure memory with

- `-XX:InitialRAMPercentage`
- `-XX:MaxRAMPercentage`
- ~~`-XX:MinRAMPercentage`~~ (allows setting the maximum heap size for a JVM running with less than 200MB)

Typically can use up to 75% of container memory

Unless there is a lot of off-heap memory used
(ElasticSearch, Spark,...)

JVM takes all the memory on startup and manages it

JVM memory use is hidden from Kubernetes, which
sees all of it as used

Set request and limits to the same value

WHAT IS THE DEFAULT JVM GARBAGE COLLECTOR?

1. SerialGC
2. ParallelGC
3. G1GC
4. ZGC
5. ShenandoahGC

WHAT IS THE DEFAULT JVM GARBAGE COLLECTOR?

1. **SerialGC** *<2 processors & < 1792MB available*
2. **ParallelGC** *Java 8*
3. **G1GC** *Java >=11*
4. **ZGC**
5. **ShenandoahGC**

Poorly tuned GC will cause pauses and other issues

Do not trust JVM ergonomics

Configure GC with

- `-XX:+UseSerialGC`
- `-XX:+UseParallelGC`
- `-XX:+UseG1GC`
- `-XX:+UseZGC`
- `-XX:+UseShenandoahGC`

Garbage Collectors

Recommendations

	Serial	Parallel	G1	Z	Shenandoah
Number of cores	1	2+	2+	2+	2+
Multi-threaded	No	Yes	Yes	Yes	Yes
Java Heap size	<4GBytes	<4Gbytes	>4GBytes	>4GBytes	>4GBytes
Pause	Yes	Yes	Yes	Yes (<1ms)	Yes (<10ms)
Overhead	Minimal	Minimal	Moderate	Moderate	Moderate
Tail-latency Effect	High	High	High	Low	Moderate
JDK version	All	All	JDK 8+	JDK 17+	JDK 11+
Best for	Single core, small heaps	Multi-core small heaps. Batch jobs, with any heap size.	Responsive in medium to large heaps (request-response/DB interactions)	responsive in medium to large heaps (request-response/DB interactions)	responsive in medium to large heaps (request-response/DB interactions)

HOW MANY CPUS WILL THE JVM BE ABLE TO USE?

1. Same as the k8s container cpu requests
2. Same as the k8s container cpu limits
3. As many as the OS allows

HOW MANY CPUS WILL THE JVM BE ABLE TO USE?

1. Same as the k8s container cpu requests
2. **Same as the k8s container cpu limits** <17.0.5 / <11.0.17 / <8u351
3. **As many as the OS allows** Java 19+ / 17.0.5+ / 11.0.17+ / 8u351+

Before Java 19/17.0.5/11.0.17/8u351

- 0 ... 1023 = 1 CPU
- 1024 = (no limit)
- 2048 = 2 CPUs
- 4096 = 4 CPUs

JDK-8281181 Do not use CPU Shares to compute active processor count

the JDK interprets `cpu.shares` as an absolute number that limits how many CPUs the current process can use

Kubernetes sets `cpu.shares` from the CPU requests

Do not trust JVM ergonomics

Configure cpus with

- `-XX:ActiveProcessorCount`

**IN A 32 CPU HOST WITH 2 JVMS WITH
SAME REQUESTS, WHAT IS THE MAX CPU
THAT EACH CAN USE?**

limit=8 limit=16 no limit

one 100%

both 100%

**IN A 32 CPU HOST WITH 2 JVMS WITH
SAME REQUESTS, WHAT IS THE MAX CPU
THAT EACH CAN USE?**

	limit=8	limit=16	no limit
<hr/>			
one 100%	8		
<hr/>			
both 100%	8		

**IN A 32 CPU HOST WITH 2 JVMS WITH
SAME REQUESTS, WHAT IS THE MAX CPU
THAT EACH CAN USE?**

	limit=8	limit=16	no limit
one 100%	8	16	
both 100%	8	16	

**IN A 32 CPU HOST WITH 2 JVMS WITH
SAME REQUESTS, WHAT IS THE MAX CPU
THAT EACH CAN USE?**

	limit=8	limit=16	no limit
one 100%	8	16	32
both 100%	8	16	16

KUBERNETES AUTOSCALING

KUBERNETES AUTOSCALING

- Cluster Autoscaler
- Horizontal Pod Autoscaler
- Vertical Pod Autoscaler

KUBERNETES CLUSTER AUTOSCALER


Automatically increase and reduce the cluster size

Based on CPU/memory requests


KUBERNETES CLUSTER AUTOSCALER

Max nodes managed at the cluster level

Savings: 30-50%



Graph



VERTICAL POD AUTOSCALER

Increasing/decreasing the resources for each pod

Requires **restart of pods** (automatic or on next start)

(next versions of Kubernetes will avoid it)

VPA

Only used in AEM **dev environments** to scale down if
unused

Savings: 5-15%

HORIZONTAL POD AUTOSCALER

Creating more pods when needed

HPA

AEM scales on **CPU and http requests** per minute (rpm) metrics

 Do not use same metrics as VPA

CPU autoscaling is problematic

Periodic tasks can spike the CPU, **more pods do not help**

Spikes on **startup** can trigger a **cascading effect**

Savings: 50-75%

Easy to start in k8s, then optimize

Use patterns to decompose application: sidecars, init containers, new services,...

Resource optimization: tuning JVM CPU, memory, GC

csanchez.org

